



UNINTERRUPTED
POWER
UNBEATABLE
PERFORMANCE



ABOUT US

At 1981 PRAN-RFL Group started its business as a processor of fruits and vegetables in Bangladesh. Now PRAN-RFL Group is the leading agricultural and plastic product producer and manufacturer.

Property Development Limited (PDL) is a sister concern company of PRAN-RFL Group founded in 1988. PDL provides heavy engineering solutions like supply, installation and commissioning of Generator, Lift, Forklift, Fire Fighting & HVAC systems. Being collaborated with world reputed brands PDL provides the best pre sales and after sales service in the country.

We provide generator from UK, ITALY, TURKEY & CHINA. Based on the practical requirement of the end user we provide our best solution. Our prime concern is customer satisfaction. We keep a large number of stocks to meet emergency requirement of the valued clients.

WHY BUY FROM US

- 100% Original Products From UK, ITALY & China.
- Available From Ready Stock.
- Free Pre-Sales Consultation.
- Availability Of Spares Parts.
- Any Kind of Test Reports Available on Request.
- After Sales Support Team All Over Bangladesh.
- Products Are Manufactured in ISO Certified Plants.
- Delivery, Installation & Commissioning Is Done by Our Trained Professionals.
- Pre-Shipment Inspection and Port Landing Inspection Facility.
- Customized Solution of Engine, Alternator, Canopy, ATS & Controller.

POWERLINK

UK



POWERLINK

Genset Model	Prime Power		Standby Power		Perkins	LEROY SOMER	Openset			Canopied			KG Weight		Tank (Ltr.)	Fuel Cons. 75% L/H	dBa at 7m
	∞	KVA	KW	KVA			KW	Engine Model	Alternator Model	L(mm)	W(mm)	H(mm)	L(mm)	W(mm)			
WPS30/S	30	24	33	26	1103A-33G	TAL042C	1761	700	1316	2300	1080	1551	810	1268	180	5.4	67
WPS45/S	45	36	50	40	1103A-33TG1	TAL042F	1896	786	1384	2300	1080	1551	913	1315	180	8.2	67
WPS60/S	60	48	66	53	1103A-33TG2	TAL042H	1971	778	1388	2338	1080	1551	917	1331	180	10.4	67
WPS80/S	80	64	88	70	1104A-44TG2	TAL044B	2233	870	1342	2788	1165	1700	1115	1711	180	14.0	68
WPS100/S	100	80	110	88	1104C-44TAG2	TAL044D	2171	870	1365	2888	1165	1681	1261	1852	240	17.1	69
WPS135/S	135	108	149	119	1106A-70TG1	TAL044H	2602	845	1453	3338	1227	1843	1625	1711	420	22.7	69
WPS150B/S	150	120	165	132	1106A-70TAG2	TAL044J	2690	832	1506	3468	1222	1843	1683	2532	420	24.7	72
WPS180B/S	180	144	198	158	1106A-70TAG3	TAL044L	2662	874	1506	3468	1222	1843	1816	2680	420	31.8	72
WPS200B/S	200	160	220	176	1106A-70TAG4	TAL044M	2714	851	1506	3468	1221	1836	1820	2739	420	34.7	72
WPS250B/S	250	200	275	220	1206A-E70TTAG3	TAL046D	3026	1117	1804	3840	1352	2002	2247	3054	520	41.5	71
WPS300/S	300	240	330	264	1506A-E88TAG5	TAL046G	3970	1362	2102	3970	1362	2102	3439	3421	700	48.2	72
WPS350/S	350	280	385	308	2206C-E13TAG2	TAL046H	3437	1210	2150	4242	1456	2512	3134	4432	800	58.0	71
WPS400/S	400	320	440	352	2206C-E13TAG3	TAL0473A	3620	1210	2150	4392	1423	2512	3271	4600	800	65.0	71
WPS450/S	450	360	495	396	2506C-E15TAG1	TAL0473B	3852	1150	2124	4592	1563	2562	3711	5135	1020	73.0	72
WPS500/S	500	400	550	440	2506C-E15TAG2	TAL0473C	3888	1167	2144	4592	1535	2555	3877	5265	1020	81.0	72
WPS600/S	600	480	660	528	2806C-E18TAG1A	TAL0473E	3885	1536	2204	4692	1763	2516	7761	6433	1650	96.0	73
WPS650/S	650	520	715	572	2806A-E18TAG2	TAL0473F	3801	1536	2279	4692	1763	2516	4687	6482	1650	97.0	73
WPS750/S	771	617	850	680	2806A-E18TTAG5	TAL049C	5462	2096	2664	4692	1763	2516	9867	7800	1450	121.0	TBD
WPS800/S	800	640	880	704	4006-23TAG3A	TAL049C	4229	1706	2252	4800	1600	2450	6753	8800	1450	130.0	TBD
WPS900/S	900	720	990	792	4008TAG1A	TAL049E	4964	2134	2323	5200	1600	2450	8138	9500	1450	142.0	TBD
WPS1000/S	1000	800	1100	880	4008TAG2A	TAL049E	5112	2134	2445	5200	1600	2450	6599	9500	1450	160.0	TBD
WPS1250/S	1250	1000	1375	1100	4012-46TWG2A	LSA50.2M6	5090	2100	2425	6058	2438	2591	9618	15500	2400	196.0	TBD
WPS1500/S	1500	1200	1650	1320	4012-46TAG2A	LSA50.2L8	5333	2200	2441	1219	2438	2896	10132	20579	2400	234.0	TBD
WPS1710/S	1710	1368	1881	1505	4012-46TAG3A	LSA52.3S5	5486	2200	2576	1219	2438	2896	11115	21149	2400	275.0	TBD
WPS1850/S	1850	1480	2035	1628	4016-61TRG1	LSA52.3S5	5586	2208	2576	1219	2438	2896	13199	24600	2400	275.0	TBD
WPS2000/S	2000	1600	2200	1760	4016TAG2A	LSA52.3S6	6283	2378	2571	1219	2438	2896	13550	24689	2400	337.0	TBD
WPS2250/S	2250	1800	2475	1980	4016-61TRG3	LSA52.3L9	6500	2877	2600	1219	2438	2896	13860	25000	2400	379.0	TBD

ONIS VISA

ITALY



POWERFULLS

GENERATING SETS
SILENT

ONIS VISA

ONIS VISA

Genset Model	Prime Power		Standby Power		Perkins	STAMFORD POWER GENERATION	Openset			Canopied			KG Weight		Tank (Ltr.)		Fuel Cons. 75% L/H	dBa at 7m
	OO	KVA	KW	KVA			KW	Engine Model	Alternator Model	L(mm)	W(mm)	H(mm)	L(mm)	W(mm)	H(mm)	Open (KG)		
P 30 B / CK	30	24	33	25	1103A-33G	SOL2-P	1550	920	1375	2100	930	1280	740	1020	160	90	5.4	68
P 45 B / CK	45	36	50	40	1103A-33TG1	S1L2-N	1510	960	1400	2100	930	1280	780	970	160	90	8.2	68
P 65 B / CK	60	48	66	53	1103A-33TG2	S1L2-Y	1750	960	1375	2100	930	1280	930	1050	160	90	10.4	68
P 80 B / CK	80	64	88	70	1104A-44TG2	UCI224G	1885	960	1375	2613	1100	1280	1090	1250	160	145	14.0	75
P 105 B / GX	100	80	110	88	1104C-44TAG2	UCI274C	1925	960	1400	2560	1040	1805	1200	1650	160	160	17.1	65
P 135 B / GX	135	108	149	119	1106A-70TG1	UCI274E	2220	1090	1630	3060	1140	2200	1540	2080	520	360	22.7	70
P 151 B / GX	150	120	165	132	1106A-70TAG2	UCI274F	2340	1090	1730	3060	1140	2200	1650	2320	520	360	24.7	70
P 200 B / GX	200	160	220	176	1106A-70TAG4	UCI274H	2480	1120	1750	3060	1140	2200	1760	2450	520	360	34.7	72
P 252 B / GX	250	200	275	220	1206A-E70TTAG3	UCDI274K	2480	1120	2000	4270	1350	2370	1950	3060	520	500	41.5	70
P 301 B / GX	300	240	330	264	1506A-E88TAG5	S4L1D-D	3000	1260	1940	4270	1350	2370	2820	3370	890	500	48.2	72
P 350 B / GX	350	280	385	308	2206C-E13TAG2	S4L1D-E	3200	1220	2200	4310	1600	2560	3350	4660	890	800	58.0	70
P 400 B / GX	400	320	440	352	2206C-E13TAG3	S4L1D-F	3320	1250	2200	4310	1600	2560	3520	4790	890	800	65.0	70
P 450 B / GX	450	360	495	396	2506C-E15TAG1	S4L1D-G	3400	1260	2200	4310	1600	2560	4050	5140	890	800	73.0	71
P 500 B / GX	500	400	550	440	2506C-E15TAG2	HCI5C	3550	1260	2200	4810	1600	2560	4050	5210	890	800	81.0	72
P 600 B / GX	600	480	660	528	2806A-E18TAG1A	HCI5F	3389	1536	2275	5520	1860	2570	4530	6100	890	950	96.0	73
P 650 B / GX	650	520	715	572	2806A-E18TAG2	HCI5F	3500	1536	2275	5520	1860	2570	4680	6100	890	950	97.0	73
P 730 B / S	750	600	825	660	4006-23TAG2A	S6L1D-C	3960	1890	2300	5700	2200	2950	6100	9150	1780	TBD	121.0	72
P 805 B / GX	810	640	860	688	4006-23TAG3A	S6L1D-C	3960	1890	2300	5800	1940	2550	6300	6450	1780	400	130.0	75
P 1050 U / S	1030	824	1133	906	4008 TAG2A	S6L1D-E	4900	2100	2300	8600	2200	3200	8250	11680	TBD	TBD	160.0	79
P 1150 U / S	1130	904	1243	994	4008 TAG3	PI734A	4900	2200	2100	8600	2200	3500	8740	15000	TBD	TBD	188.0	70
P 1260 U / S	1253	1002	1378	1103	4012-46TWG2A	PI734A	5300	2100	2400	8600	2200	3400	10500	14100	TBD	TBD	196.0	73
P 1500 U / S	1505	1204	1656	1324	4012-46TAG2A	PI734C	5300	2200	2400	8600	2200	3400	21150	14300	TBD	TBD	234.0	74
P 1700 U / S	1705	1364	1876	1500	4012-46TAG3A	PI734E	5200	2550	2750	8600	2360	3550	12700	15000	TBD	TBD	275.0	78
P 2000 U / S	2000	1600	2200	1760	4016-61TRG2	PI734F	6050	2150	2550	TBD	TBD	TBD	13920	TBD	TBD	TBD	337.0	TBD
P 2250 U / S	2200	1760	2420	1936	4016-61TRG3	PI734H	6050	2150	2550	TBD	TBD	TBD	16220	TBD	TBD	TBD	379.0	TBD

TEKSAN

TURKEY



ONIS VISA

Genset Model	Prime Power		Standby Power		Perkins	LEROY SOMER	Openset			Canopied			Weight		Tank (Ltr.)		Fuel Cons. 75% L/H	dBa at 7m
	○	KVA	KW	KVA			KW	Engine Model	Alternator Model	L(mm)	W(mm)	H(mm)	L(mm)	W(mm)	H(mm)	Open (KG)		
TJ10PE	9	7	10	8	403A-11G1	TALD40B	1250	700	1000	1750	700	1200	330	497	75	75	2.0	65
TJ15PE	12	10	14	11	403A-15G1	TALD40C	1250	700	1000	1750	700	1200	341	508	75	75	2.8	65
TJ22PE	20	16	22	18	404A-22G1	TALD40F	1350	700	1050	1750	700	1200	403	570	75	75	4.0	66
TJ33PE	30	24	33	26	1103A-33G	TALD42C	1650	950	1220	2200	950	1450	712	986	90	90	5.4	64
TJ50PE	45	36	50	40	1103A-33TG1	TALD42F	2000	950	1230	2650	950	1450	834	1148	90	90	8.2	65
TJ66PE	60	48	66	53	1103A-33TG2	TALD42H	2000	950	1230	2650	950	1450	872	1186	160	160	10.4	70
TJ90PE	80	64	88	70	1104A-44TG2	TALD44B	2000	950	1230	2650	950	1450	1091	1405	160	160	14.0	71
TJ110PE	100	80	110	88	1104C-44TAG2	TALD44D	2350	1100	1250	3320	1100	1600	1186	1607	160	160	17.1	72
TJ150PE	135	108	150	120	1106A-70TG1	TALD44H	2350	1100	1350	3320	1100	1600	1497	1918	260	260	22.7	71
TJ165PE	150	120	165	132	1106A-70TAG2	TALD44J	2700	1200	1470	3860	1200	1850	1677	2218	330	330	24.7	69
TJ200PE	180	144	200	160	1106A-70TAG3	TALD44L	2700	1200	1470	3860	1200	1850	1751	2292	330	330	30.9	70
TJ220PE	200	160	220	176	1106A-70TAG4	TALD44M	2700	1200	1470	3860	1200	1850	1751	2292	330	330	34.3	70
TJ275PE	248	198	270	216	1206A-E70TTAG3	TALD46D	2700	1200	1730	3860	1200	1850	1948	2489	330	330	41.5	71
TJ350PE	313	250	345	276	1706A-E93TAG1	TALD46G	3000	1300	1680	3940	1300	1850	2515	3080	385	385	48.5	71
TJ390PE	353	282	389	311	1706A-E93TAG2	TALD46H	3000	1300	1680	3940	1300	1850	2515	3080	385	385	54	71
TJ450PE	407	326	450	360	2206A-E13TAG3	TALD473A	3300	1650	2050	5000	1650	2250	3373	4359	900	900	81	70
TJ500PE	455	364	500	400	2506A-E15TAG1	TALD473B	3500	1650	2050	5360	1650	2250	4021	5086	970	970	72	80
TJ550PE	500	400	550	440	2506A-E15TAG2	TALD473C	3500	1650	2050	5360	1650	2250	4021	5086	970	970	76	81
TJ660PE	600	480	660	528	2806A-E18TAG1A	TALD473E	3500	1650	2160	5360	1650	2450	4107	5248	970	970	81	81
TJ720PE	660	528	721	577	2806A-E18TAG2	TALD473F	3500	1650	2160	5360	1650	2450	4358	5499	970	970	97	82
TJ800PE	730	584	805	644	2806A-E18TTAG5	TALD49B	3400	1700	2330	5820	2200	2400	4833	7548	1080	1600	118	84
TJ840PE	763	610	841	673	2806A-E18TTAG5	TALD49C	3400	1700	2330	5820	2200	2400	4894	7609	1080	1600	118	86
TJ890PE	794	635	886	709	4006-23TAG3A	TALD49C	3700	1700	2285	5820	2200	2400	5848	8448	1135	1600	130	87
TJ900PE	806	645	902	722	4006-23TAG3A	TALD49E	3800	1700	2285	5820	2200	2400	6503	9103	1135	1600	130	87
TJ1000PE	915	732	1006	805	4008TAG1A	TALD49E	4660	2050	2370	5820	2200	2400	7847	10277	1540	1540	142	85
TJ1100PE	1000	800	1100	880	4008TAG2A	TALD49E	4660	2050	2370	5820	2200	2400	7847	10277	1540	1540	160	88
TJ1250PE	1112	890	1250	1000	4008-30TAG3	LSA50.2M6	4660	2050	2300	5820	2200	2400	8047	10477	1540	1540	188	89
TJ1400PE	1250	1000	1375	1100	4012-46TWG2A	LSA50.2M6	4700	2050	2470	6080	2470	2900	9536	13226	TBA	TBA	195	91
TJ1500PE	1382	1106	1516	1213	4012-46TWG3A	LSA50.2L8	4800	2050	2640	6080	2470	2900	9983	13673	TBA	TBA	213	91
TJ1650PE	1500	1200	1650	1320	4012-46TAG2A	LSA50.2L8	5000	2250	2420	9145	2470	3100	9972	16052	TBA	TBA	237	92
TJ1800PE	1640	1312	1800	1440	4012-46TAG3A	LSA50.2VL10	5000	2250	2800	9145	2470	3150	10404	16484	TBA	TBA	275	93
TJ1900PE	1733	1386	1902	1522	4012-46TAG3A	LSA52.3S5	5130	2250	2800	9145	2470	3150	10849	16929	TBA	TBA	275	94
TJ2000PE	1860	1488	2018	1614	4016-61TRG1	LSA52.3S5	6000	2250	2560	12220	2470	3150	11936	19556	TBA	TBA	280	97
TJ2200PE	2000	1600	2200	1760	4016-61TRG2	LSA52.3S6	6000	2250	2560	12220	2470	3150	11956	19576	TBA	TBA	306	97
TJ2270PE	2024	1619	2273	1818	4016-61TRG2	LSA52.3S7	6000	2250	2560	12220	2470	3150	12066	19686	TBA	TBA	306	98
TJ2500PE	2256	1805	2502	2002	4016-61TRG3	LSA52.3L9	6000	2250	2750	12220	2470	3150	12705	20225	TBA	TBA	349	98






VOLCANO

CHINA



VOLCANO

VOLCANO

Genset Model	Prime Power		Standby Power			C. Stamford	Canopied Dimension						
		KVA	KW	KVA			KW	Engine Model	Alternator Model				L(mm)
R 22	20	16	22	18	ZH2100D	184ES	1850	780	1050	720KG	50	4.85	70
R 33	30	24	33	26	ZH4100DS	184G	2170	860	1200	850KG	100	6.44	72
R 41	37.5	30	41	33	ZH4105ZDS / ZH4100ZD	184H	2170	860	1200	880KG	100	7.95	72
R 47	43	34	47	37	ZH4105ZDS / ZH4100ZD	184J	2170	860	1200	920KG	100	8.96	72
R 55	50	40	55	44	ZH4105ZD / ZH4105ZDS	224D	2170	860	1200	920KG	110	10.51	72
R 68	62.5	50	68	54	ZH4105ZLD / ZH4105ZDS	224E	2420	960	1200	1100KG	120	11.95	74
R 88	80	64	88	70	R4108IZLD / R4108IZLDS	224S	2970	1080	1550	1550KG	130	15.62	76
R 110	100	80	110	88	R6105AZD	274C	2970	1080	1550	1550KG	200	19.32	76
R 165	150	120	165	132	R6105IZLD	274E	3070	1080	1550	1750KG	200	29.56	76
R 220	200	160	220	176	6RT80-1760E	274H	3820	1280	1900	2400KG	200	38.95	78
R 275	250	200	275	220	WT10B-2310E	274K	3820	1280	1900	2400KG	470	49.12	78

Genset Model	Prime Power		Standby Power			C. Stamford	Canopied Dimension						
		KVA	KW	KVA			KW	Engine Model	Alternator Model				L(mm)
C 41	37.5	30	41	33	4BT3.9-G1	184H	2200	1000	1300	1,020	100	6.97	70
C 62	56.0	45	62	49	4BTA3.9-G2	224E	2300	1000	1350	1,190	110	9.67	70
C 94	85	68	94	75	6BT5.9-G1	224G	2800	1080	1600	1,410	120	13.20	72
C 110	100	80	110	88	6BT5.9-G2	224H	2800	1080	1600	1,480	170	16.72	72
C 176	160	128	176	141	6BTA5.9-G12	274F	2950	1080	1650	1,680	190	25.50	72
C 198	180	144	198	158	6CTA8.3-G2	274G	3000	1080	1750	2,130	200	31.50	74
R 220	200	160	220	176	6CTAA8.3-G2	274H	3200	1120	1950	2,230	400	33.75	74
C 275	250	200	275	220	6LTA8.9-G2	274K	3200	1120	1950	2,380	400	40.50	74
C 344	313	250	344	275	6LTA9.5-G1	444DL	3600	1400	2020	3,780	600	45.97	76
C 388	375	300	413	330	6ZTAA13-G3	444FS	3950	1600	2200	4,150	700	64.05	76
C 450	412.5	330	450	360	6ZTAA13-G2	544CS	3950	1600	2200	4,210	700	66.90	76
C 500	450	360	500	400	QSZ13-G2	544CS	4200	1700	2230	5,190	800	72.75	78
C 550	500	400	550	440	QSZ13-G3	544C	4200	1700	2230	5,290	800	80.25	78
C 688	625	500	688	550	KTAA19-G6A	544FS	4500	1800	2530	6,250	850	98.65	78
C 825	750	600	825	660	KTA38-G2	544G	5400	2250	2530	8,150	900	125.25	80
C 1000	910	728	1001	801	KTA38-G2A	634D	5400	2250	2530	8,310	900	145.50	80
C 1100	1000	800	1100	880	KTA38-G5	634E	5600	2250	2530	8,510	1000	156.75	80



For any query please contact



01841-257647, 01894-845825



Customer Care:
0800-7777777, 0961-3737777



coo.propertylift@rflgroupbd.com



propertylifts.com



PRAN Center, 105 Pragati Sarani, Middle Badda, Dhaka-1212, Bangladesh

A Product of



আর এফ এল